

## MIXERS



### MIXERS

IPERBET .....	G2
IPERBET FLUID .....	G3

### FLUID MATERIALS MIXERS

FLUID MIX .....	G4
FLUID MIX SPECIAL .....	G4

### MIXERS


MX2: MIXER WITH TWO VARIABLE SPEEDS .....	G5
---	----

### BUCKETS AND MIXING PADDLES

ACCESSORIES, BUCKETS AND MIXING PADDLES .....	G6
---	----



Compact mixers, mixing paddles, the innovative mixers with two variable speeds: a complete range of products for mixing adhesives and grout for ceramic tiles as well as concrete, quartz plaster, cement, mortars, screeds, epoxy resins. Furthermore, a range of products specifically designed for mixing and setting of fluid mixtures such as self-leveling, premixed, paint, etc.





MIXERS

**OPTIONAL**



MASS BREAKER TOOL



FLUID MIXTURE TOOL

**TECHNICAL CHARACTERISTICS**



ROTATING BUCKET



45 L



LEGS WITH WHEELS



REDUCER



DOUBLE BLADE TOOL

**PACKAGE**



CARTON BOX

- For mixing tile adhesives, thinsets, mortar for plasters, quartz plasters, concrete and etc...
- Production capacity 300 Kg/h (50 lbs - 100 lbs).
- Mixing at low rpms does not entrap air and provides a homogenous mix.
- Fixed paddle, rotating bucket. This system provides a higher level of operator safety and allows the operator to check the mix quality while mixing.
- Gear ratio of motor to bucket 25 ÷ 1.
- Supplied with: two buckets (45 lt/12 gal), standard mixing blade, hex key, user and maintenance manual.

**MODEL SPECIFICATIONS**

Part No.	Barcode	Box	Lightning Bolt	M	Motor	Motor	Bucket	Bucket
<b>110</b>	8024648003331	1	230 V 50/60 Hz	Single-phase	0,5 HP/0,37 kW	1400/1680	55 / 66	45 lt   12 gal
<b>110 USA</b>	8024648014092	1	110 V 60 Hz	Single-phase	0,5 HP/0,37 kW	1680	66	45 lt   12 gal
<b>110 GB</b>	8024648005403	1	110 V 50 Hz	Single-phase	0,5 HP/0,37 kW	1400	55	45 lt   12 gal

**DIMENSIONS AND WEIGHT**

Model	Dimensions	Weight	Weight	Dimensions	Weight	Weight	
<b>IPERBET</b>	60x51xh 77 cm	23 5/8"x20"xh 30 1/4"	34 Kg	75 lbs	85x60xh 60 cm	33 1/2" x23 5/8" xh 23 5/8"	39 Kg   86 lbs





MIXERS

OPTIONAL



DOUBLE BLADE TOOL

TECHNICAL CHARACTERISTICS



ROTATING BUCKET



45 L



LEGS WITH WHEELS



REDUCER



FLUID MIXTURE TOOL

PACKAGE



CARTON BOX

- For mixing grout, tile adhesives and fluid material.
- Production capacity 300 Kg/h (50 lbs – 100 lbs)
- Mixing at low rpms does not entrap air and provides a homogenous mix.
- Paddle is comprised of: fixed blade to force the mixture toward the center and a rotating tool for lump-free consistency.

- Gear ratio of motor to bucket 25 ÷ 1.
- Supplied with: two buckets 45 lt (12 gal), paddle for fluid mixing, hex key, user and maintenance manual.

MODEL SPECIFICATIONS

Part No.								
<b>110 FLUID</b>	8024648011374	1	230 V 50/60 Hz	Single-phase	0,5 HP/0,37 kW	1400/1680	55 / 66	45 lt 12 gal
<b>110 FLUUS</b>	8024648014948	1	110 V 60 Hz	Single-phase	0,5 HP/0,37 kW	1680	66	45 lt 12 gal
<b>110 FLUGB</b>	8024648014955	1	110 V 50 Hz	Single-phase	0,5 HP/0,37 kW	1400	55	45 lt 12 gal

DIMENSIONS AND WEIGHT

Model								
<b>IPERBET FLUID</b>	60x51xh 77 cm	23 5/8"x20"xh 30 1/4"	35 Kg	77.2 lbs	85x60xh 60 cm	33 1/2"x23 5/8"xh 23 5/8"	40 Kg	88.2 lbs



# FLUID MIX - FLUID MIX SPECIAL



238 EUN  
FLUID MIX

238 UN  
FLUID MIX SPECIAL

**OPTIONAL**



MIXER


**TECHNICAL CHARACTERISTICS**



75 L



LEGS WITH WHEELS



238 CV01A  
(accessory for Fluid Mix Special)

**PACKAGE**



CARTON BOX

- For mixing fluid materials such as self-leveling, premixed, cement-based grout, paint and others.
- Perfect mixing, time for mixing cut off 50%, it eliminates fatigue for transporting the materials once mixed.
- Sturdy steel frame, rubber wheels, dust-free cap.
- Available in two versions:  
Art. 238 UN: 4 swivel wheels and inclinable bucket which allows to pour the mixture uniformly.  
Art. 238 EUN: 2 fixed wheels and two levers for pouring the mixture.

- Buckets (Art. 289LT75) capacity:  
75 liters (20 gal) of mixed material;  
75/100 Kg (34/45 lbs) of dry (still to be mixed) material.
- Universal attachment for drills/mixers from Ø 40 mm to Ø 60 mm (1 9/16" - 2 3/8").
- 3 spirals mixing-paddle (art.178389H); Ø 140 mm (5 1/2"); stem length: 680 mm (26 3/8"); screw attachment 14M.
- Equipped with: 1 bucket 75 liters (20 gal); 1 mixing-paddle, mixer not included.
- A conveyor for Fluid mix special bucket is available (Art. 238 CV01A).

**MODEL SPECIFICATIONS**

Part No.			Description		Screw attachment
<b>238 UN</b>	8024648061096	1	Fluid mix special - with paddle; without mixer	75 lt 20 gal	14 M
<b>238 EUN</b>	8024648061089	1	Fluid mix - with paddle; without mixer	75 lt 20 gal	14 M

**DIMENSIONS AND WEIGHT**

Model	Description				
<b>FLUID MIX SPECIAL</b>	With mixing-paddle, mixer not included	61x66xh 95 cm	28 Kg 61.7 lbs	85x60xh 70 cm	29 Kg 63.9 lbs
<b>FLUID MIX</b>	With mixing-paddle, mixer not included	54x60xh 77 cm	21 Kg 46.3 lbs	33 1/2"x23 5/8"xh 27 1/2"	18 Kg 39.7 lbs

**REPLACEMENT PARTS/ACCESSORIES**

Part No.			Description		
<b>238 CV01A</b>	8024648024299	1	Conveyor for Fluid mix special bucket	40x40x h 15 cm	2,6 Kg 5.7 lbs
<b>289LT75</b>	8024648002495	1	Buckets: capacity 75 liters (20 gal)	-	-
<b>178389H</b>	8024648001603	1	3 spirals mixing-paddle; Ø140 mm (5 1/2"); attachment 14M	-	-



# MX2 - MIXERS WITH 2 VARIABLE SPEEDS 1400/1600 WATT



BOX


301W1400V2V  
301W1600V2V



MIXERS



## TECHNICAL CHARACTERISTICS



SCREW 14 MM CLUTCH

Ø 140 mm  
Ø 160 mm

SPEED SELECTOR

VARIABLE SPEED

- For mixing mortar, floor screed, plasters, cement, concrete, grout and adhesive for tiles, epoxy resins and so on...
- Two variable speeds: first speed 180-460 rpm.; second speed 300-700 rpm.
- Dual rotation speeds with electronic speed control.
- Double spiral mixing paddle included (Ø 140 mm version 1.400 Watt; Ø 160 mm version 1.600 Watt).
- Ergonomic design (included handles provided with rubber inserts for optimal grip).
- Button for permanent run.
- Externally accessible brushes for greater serviceability and longer motor life.
- Mixing paddle with screw clutch M14.
- Attractive self-explaining packaging.
- 3,5 m (11.5 ft) neoprene cable.

## MODEL SPECIFICATIONS

Part No.	Barcode	Box	Lightning Bolt	Motor	Mixing Paddle	Ø	Speed Selector	Variable Speed	Screw Clutch
<b>301W1400V2V</b>	8050532000902	1	230 V 50/60 Hz	1400W	180/460-300/700	140 mm - 5 1/2"	•	•	•
<b>301W1600V2V</b>	8024648017857	1	230 V 50/60 Hz	1600W	180/460-300/700	160 mm - 6 5/16"	•	•	•

## DIMENSIONS AND WEIGHT

Model	Motor	Weight	Dimensions	Box Dimensions	Weight	Dimensions
<b>MX2 - 1400W</b>		4,6 Kg	10.1 lbs		5,6 Kg	12.3 lbs
<b>MX2 - 1600W</b>		46x29xh 35 cm	18"x11 13/32"xh 13 3/4"	60x30xh 33cm	23 5/8"x11 7/8"xh 13"	



# ACCESSORIES AND BUCKETS FOR IPERBET, IPERBET FLUID AND MIXERS



243



239KITC01A



239UF02D



239VG02A



289IPER



178 389L  
178 389F  
178 389G



178 389F



178 S



178



178D60



178D80



197180CM

197CF

PACKAGE



CARTON BOX

## ACCESSORIES FOR IPERBET, IPERBET FLUID AND MIXERS

Part No.	Barcode	Box	Description	IPERBET	IPERBET FLUID	Weight	Dimensions	Weight
243	8024648070968	3	Height-adjustable rake for self-leveling (without handle)	•	•	1,6 Kg / 3.5 lbs	71x23xh 12 cm / 28"x9"x h 4 1/2"	5,2 Kg / 11.5 lbs
243SL01A	8050532012776	3	Slides for rake 243 + screws (pair)	•	•	135 gr / 4.8	-	-
197CF	8024648000316	12	Anodized aluminum pole with hole - length 133 cm	•	•	420 gr / 14.8 oz	140x25xh 10 cm / 55"x10"x4"	5,5 Kg / 12.1 lbs
197CM180	8024648000644	12	Anodized aluminum pole with hole - length 180 cm	•	•	540 gr / 19 oz	180x25xh 25 cm / 71"x10"x10"	7 Kg / 15.4 lbs

## TOOLS

Part No.	Barcode	Box	Description	IPERBET	IPERBET FLUID	Weight	Dimensions	Weight
239KITC01A	8024648007094	1	Tool kit for mixing fluid	•	standard	2,9 Kg / 6.4 lbs	58x30xh 25 cm / 23"x12"xh 10"	3,4 Kg / 7.5 lb
239UF02D	8024648011442	1	Double bladed tool	standard	•	2 Kg / 4.4 lbs	35x40xh 10 cm / 13 3/4"x15 3/4"xh 4"	2,3 Kg / 5 lbs
239VG02A	8050532003774	1	Mass (clump) breaker	•	-	370 gr / 13 oz	35x5xh 5 cm / 13 3/4"x2"xh 2"	470 gr / 16.6 oz

## BUCKETS

Part No.	Barcode	Box	Description	Capacity	IPERBET	IPERBET FLUID	Weight	Dimensions	Weight
289IPER	8024648000989	1	Bucket with handles	45 lt / 12 gal	standard	standard	2,3 Kg / 5 lbs	-	-

## MIXING PADDLES

- For mixing paints, thin set, grout, ready render, etc...
- Type of clutches: with profiled arm for quick-release screw arm 14M for screw-fit, hexagonal arm for blocking with chuck.
- Type of shape: reinforced double spiral, 4 shaped blades.
- Made of galvanized steel.

Part No.	Barcode	Box	Description	Clutch	Weight	Dimensions	Weight
178 389E	8024648009814	1	4 bladed mixing paddle Ø 140 mm (5 3/4")	-	-	-	-
178 389L	8024648079541	1	Double spiral mixing paddle Ø 160 mm (6 9/32")	•	-	-	-
178 389F	8024648017888	1	Double spiral mixing paddle Ø 140 mm (5 3/4")	•	-	-	-
178 389G	8024648017895	1	Double spiral mixing paddle Ø 120 mm (4 3/4")	•	-	-	-
178 S	8024648000392	10	Double spiral mixing paddle Ø 90 mm (3 1/2")	-	-	60x34xh 20 cm	5,7 Kg / 12.6 lbs
178	8024648000385	16	4 bladed mixing paddle Ø 120 mm (4 3/4")	-	-	23 5/8"x13 3/8"xh 8"	7,7 Kg / 17 lbs
178D60	8024648056887	12	Double spiral mixing paddle Ø60 mm (2 3/8")	-	-	44x15xh 14 cm	2,8 Kg / 6.2 lbs
178D80	8024648058195	12	Double spiral mixing paddle Ø80 mm (3 1/8")	-	-	44x19xh 18 cm	3,1 Kg / 6.8 lbs

